

Dual Fuel Hybrid RTUs

Qualifying list

Updated March 13, 2026



Manufacturer	Model	Capacity	Commercial Name	Condensing NG Section	Notes
AAON	RN-A	6-10 tons	AAON	No	
AAON	RN-B	9-15 tons	AAON	No	
AAON	RN-C	16-30 tons	AAON	No	
AAON	RN-D	26-70 tons	AAON	No	
AAON	RQ	2-5 tons	AAON	No	
Allied	E-Series	2-20 tons	Allied Commercial E-Series Rooftop Units Dual-Fuel - High Efficiency - Packaged Heat Pumps	No	
Allied/Lennox	LDT Series	3-25 tons	Lennox Enlight™ LDT series	No	
American Standard	Gold 15 EarthWise	1.6-4.8 tons	Gold 15 EarthWise	No	Same as Trane 5DCZ5
Annexair	RAF 10	8-10 tons	Annexair	Optional	
Annexair	RAF 14	12-14 tons	Annexair	Optional	
Annexair	RAF 20	16-20 tons	Annexair	Optional	
Annexair	RAF 30	26-30 tons	Annexair	Optional	
Annexair	RAF 40	36-40 tons	Annexair	Optional	
Bryant	549Q	3-25 tons			
CaptiveAire	CAS-HVAC*-I.XXX***T Series	3-30 tons		No	Only eligible in CZ4
CaptiveAire	CAS-HVAC*-I.XXXHE***T Series	3-30 tons		Yes	Only eligible in CZ4
CaptiveAire	CAS-HVAC*-I.XXX***T Series - Low Ambient	3-30 tons		No	
CaptiveAire	CAS-HVAC*-I.XXXHE***T Series - Low Ambient	3-30 tons		Yes	
Carrier	48QE Series	3-25 tons	Carrier WeatherMaster Hybrid Heat Rooftop with EcoBlue™ Technology with Puron Advance (R-454B) Refrigerant	No	
Carrier	48NT Series	2-5 tons (single phase only)	Carrier 13.4 SEER2 Single-Package HYBRID HEAT Dual Fuel System with Puron Advance (R-454B) Refrigerant	No	Require compatible programmable thermostat for CZ5+
Carrier	48NR Series	2-5 tons (single phase only)	Carrier 13.4 SEER2 Single-Package HYBRID HEAT Dual Fuel System with Puron Advance (R454B) Refrigerant	No	Require compatible programmable thermostat for CZ5+
Daikin Applied	DPS	3-31 tons	Rebel Rooftop	No	
Engineered Air	FWH / HE or DJS or DJE or DJX or DG	2-4 tons	Engineered Air	No	
Engineered Air	FWH***/DJX	2-4 tons	Engineered Air	Yes	
Engineered Air	FWEH***/(HE, DJS, DJE or DG)	5-64 tons	Engineered Air	No	
Engineered Air	FWEH***/DJX	5-64 tons	Engineered Air	Yes	
Engineered Air	FWXH***/(HE, DJS or DJE or DG)	5-64 tons	Engineered Air	Yes	

Engineered Air	FWXH***/DJX	5-64 tons	Engineered Air	Yes	
Goodman	GPDM3	2-4 tons	Goodman	No	
Greenheck	RV-40-5A-C-E2	3-30 tons		No	
Greenheck	RV-40-5A-C-F2	5-30 tons		No	
Greenheck	RT-**-**B-(A through O, not 0 or 1)	3-30 tons	RT Series	No	Excluding models 0 with no heating and 1 with electric resistance heating.
Ice Western	HTDM-****-(80 or 82)-(DX or DXV) not EC	6-250 tons	HTDM 82 Indirect-Fired Units	No	* Excludes EC models with an electric heating coil
Ice Western	HTDM-****-91-(DX or DXV), not EC	6-250 tons	HTDM 91+ Omega Series	Yes	* Excludes EC models with an electric heating coil
Ice Western	IDF-****-(DX or DXV), not EC	6-250 tons		No	* Excludes EC models with an electric heating coil
KeepRite	RDG	3-25 tons		No	
Nortek	AAFBC	35-350 tons	Nortek	No	
Rheem/RUUD	RDFXYC Series	2-5 tons	Endeavor® Line Achiever Plus®	No	
RuppAir	RARTU*-I,****-***T Series	3-30 tons		No	CZ4 only
RuppAir	RARTU*-I,****HE-**-**T Series	3-30 tons		Yes	CZ4 only
RuppAir	RARTU*-I,****-***T Series – Low Ambient	3-30 tons		No	
RuppAir	RARTU*-I,****HE-**-**T Series – Low Ambient	3-30 tons		Yes	
Trane	OAN/OAD/OAB	3-54 tons	Trane Horizon DOAS	No	
Trane	Precedent DHC Series	3-10 tons	DHC Series	No	Excluding models with electric heat options
Trane	Precedent DHK Series	3-25 tons	DHK Series	No	Excluding models with electric heat options
Trane	Precedent DSK Series	3-25 tons	DSK Series	No	Excluding models with electric heat options
Trane	Precedent DSJ Series	12.5-25 tons	DSJ Series	No	Excluding models with electric heat options
Trane	Impack 5DCZ5 Series	2-5 tons	5DCZ5 Gold Series	No	
Trane	OAN/OAD/OAB	3-54 tons	Horizon DOAS	No	
Valent	VR, VX, VXE, VXC	3-30 tons	Valent Rooftop	No	
York	Sun Pro WP*** (N or S, not C or E)	6.5-12 tons	York® Sun™ Pro WP 6.5-12.5 Ton Heat Pump	No	Excluding models with C or E (cooling or electric heat only)
York	Sun Choice WV** (N, S, or T, not C or E)	12.5-25 tons	YORK® Sun Choice WV13 to WV25	No	Excluding models with C or E (cooling or electric heat only)

Note: * is a wildcard character which represents one or more additional characters within a model number.

